Contents continued State epidemiology programs and State epidemiologists: results of a national survey 170 Robert A. Gunn, Mary C. White, Grayson B. Miller, Jr., J. Lyle Conrad, and Carl W. Tyler, Jr. Awareness of hospice services: results of a national survey 178 Vincent Mor, Gerry Hendershot, and Cynthia Cryan Design of the 1986 National Mortality Followback Survey: considerations on 183 Isadore Seeman, Gail S. Poe, and Joseph K. McLaughlin Factors influencing intentions of pregnant women to exercise after giving birth ... 188 Gaston Godin, Lucie Vezina, and Odette Leclerc Food counseling for persons infected with HIV: strategy for defensive living 196 Douglas L. Archer **DEPARTMENTS** LETTERS TO THE EDITOR Dr. Brandt did not list the number one cause of preventable death, James H. Lutschg — Dr. Brandt's response: AIDS is not the only priority, Edward N. Brandt, Jr. — The "guidelines" on reporting reproductive health statistics tend to confuse rather than clarify, Feroz Ahmed — The distinction between rate and ratio is important, Judith A. Fortney - The internal inconsistency was a conscious choice: Dr. Cefalo and Mr. Gay reply, Robert C. Cefalo and George Gay — C section rates and increased malpractice premiums—an alternate explanation, Willard P. Johnson - Reply to Dr. Johnson: other control variables need to be explored, Steven Rock 198 NATIONAL CENTER FOR HEALTH STATISTICS: DATA LINE..... 202 PROGRAMS, PRACTICES, PEOPLE Surgeon General notes 25 years of progress against smoking — Dental health promoted for older Americans, Beverly Entwistle and Frank Martin — Grants assist community and migrant health center perinatal programs — ACS grants available — FDA food pesticide resídue monitoring reviewed — Facility to collect data on practitioners' substandard performance - Charles A. Dana awards for health promotion, disease prevention — Erratum in AIDS case

COVER 3

Health, United States, 1988: overview of national health trends

projections in the Charlottesville report - Images from the history of the

Public Health Service

Public Health Reports is published bimonthly by the Office of the Assistant Secretary for Health, Rm. 725-H, Hubert Humphrey Bldg., 200 Independence Ave., SW, Washington, DC 20201. Second-class postage paid at Washington, DC, and additional mailing offices. POSTMASTER: Send address changes to Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Louis W. Sullivan, MD, Secretary



PUBLIC HEALTH SERVICE Ralph R. Reed, MD Acting Assistant Secretary for Health

PUBLIC HEALTH REPORTS (USPHS 324-990) ISSN 0033-3539

Editorial Board

Dr. C. Everett Koop, Surgeon General and Chairman

Dr. George E. Hardy, Jr., CDC

Dr. Everett Rhoades, HRSA

Dr. Stuart Nightingale, FDA Harold M. Ginzburg, MD, JD, MPH, Contributing Editor

Marian Priest Tebben, Executive Editor

Dan Taylor, Associate Editor Marion Hearon, Assistant Editor Ronald J. Kostraba, Conceptual Design

Donna J. Young, Art Director

Public Health Reports is published six times a year. Opinions expressed are the author's and do not necessarily reflect the views of Public Health Reports or the Public Health Service. Trade names are used for identification only and do not represent an endorsement by the Service.

The Secretary of Health and Human Services has determined that the publication of this periodical is necessary in the transaction of the public business required by law of this Department. Use of funds for printing this periodical has been approved by the Director of the Office of Management and Budget through September 30, 1989.

204

Address correspondence to:

Editor, *Public Health Reports* Rm. 13C-26, 5600 Fishers Lane Rockville, MD 20857 AC 301: 443-0762

Subscription Information

Public Health Reports is for sale for \$9 a year domestic and \$11.25 foreign. Single copies are \$4.75 domestic and \$5.94 foreign. Purchase from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

Health, United States, 1988: Overview of National Health Trends

Trends in the nation's health statistics are profiled in the newly available edition of "Health, United States."

The annual report describes major subject areas of health status and their determinants, the use and supply of health care resources, and expenditures for health care.

State rankings by mortality for several leading causes of death are provided, as well as by selected occupationally related causes of death, and selected risk factors.

For example, in the period 1979–85, age-adjusted death rates for bladder cancer among men were elevated in the heavily industrialized parts of the United States. The geographic distribution of male employment in three industries that use aromatic amine chemicals shows a pattern similar to that of bladder cancer mortality.

Suicide rates for men 15-24 years of age vary substantially among the States. In the period 1979-85, the highest suicide rates for young men occurred primarily in the West. The lowest suicide rates occurred in the South and Northeast. Highlights of the report are:


Health Status and Determinants

- The proportion of live births to unmarried mothers more than doubled between 1970 and 1986, from 11 to 23 percent.
- In 1986, the leading causes of premature mortality were accidents among men and cancer among women.
- Almost half of the AIDS cases reported in the United States as of November 30, 1988, occurred among residents of New York (25 percent) or California (21 percent).

Health Care Resources

- Between 1983 and 1987, the average number of ambulatory care physician visits increased by 17 percent, from 7.6 to 8.9 visits per person per year for those 65 years of age and older. The number increased 10 percent among those 45–64 years, and remained fairly stable for younger persons.
- Physician supply continues to vary widely. In 1986, the number of active non-

Suicide rates among men aged 15-24, 1979-85



SOURCE: National Center for Health Statistics

Federal physicians per 10,000 population was highest in the New England and Middle Atlantic divisions (27 per 10,000), and lowest in the East South Central and West South Central divisions (15 and 17 per 10,000).

Health Care Expenditures

- In 1986, the United States spent 11 percent of its gross domestic product on health, compared with 9 percent by Sweden, 8.5 percent by Canada and France, 8 percent by Germany, 7 percent
 by Japan, and 6 percent by the United Kingdom.
- In 1987, the rate of increase of the medical care component of the Consumer Price Index was 6.6 percent, which was higher than the overall inflation rate of 3.7 percent.
- Expenditures for HIV-related activities by the Public Health Service rose from \$5.6 million in 1982 to \$502.4 million in 1987.

"Health, United States" is a report of the Secretary of Health and Human Services to the President and Congress. The 1988 report contains a chartbook of 29 maps of the United States and background on States and clusters of States that rank at the top or bottom for significant statistics. A section of 125 detailed statistical tables is organized around major subject areas. The tables outline continuing health statistical trends.

Eight tables of statistics on AIDS are provided. New tables in the 1988 report show the use of short-stay hospitals for patients discharged with a diagnosis of AIDS, and funding for HIV-related research by Public Health Service agencies.

"Health, United States, 1988" was prepared by the National Center for Health Statistics, a part of the Centers for Disease Control.

Copies of "Health, United States, 1988" may be purchased from the Super-intendent of Documents, U.S. Government Printing Office, Washington, DC 20402 (tel.: 202/783-3238). The stock number is 017-022-01066-6. Call for price and availability information.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service Room 13C-26 Parklawn Bldg. 5600 Fishers Lane Rockville, MD 20857

Second-Class Mail Postage and Fees Paid PHS-OASH ISSN 0033-3549

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300